

# Programming languages & Styles supported by the minted package

Overleaf

Pygments version 2.1.3, (c) 2006–2015 by Georg Brandl.

Lexers:

~~~~~

- \* abap:  
ABAP (filenames \*.abap, \*.ABAP)
- \* abnf:  
ABNF (filenames \*.abnf)
- \* ada, ada95, ada2005:  
Ada (filenames \*.adb, \*.ads, \*.ada)
- \* adl:  
ADL (filenames \*.adl, \*.adls, \*.adlf, \*.adlx)
- \* agda:  
Agda (filenames \*.agda)
- \* ahk, autohotkey:  
autohotkey (filenames \*.ahk, \*.ahkl)
- \* alloy:  
Alloy (filenames \*.als)
- \* antlr-as, antlr-actionscript:  
ANTLR With ActionScript Target (filenames \*.G, \*.g)
- \* antlr-cpp:  
ANTLR With CPP Target (filenames \*.G, \*.g)
- \* antlr-csharp, antlr-c#:  
ANTLR With C# Target (filenames \*.G, \*.g)
- \* antlr-java:  
ANTLR With Java Target (filenames \*.G, \*.g)
- \* antlr-objc:  
ANTLR With ObjectiveC Target (filenames \*.G, \*.g)
- \* antlr-perl:  
ANTLR With Perl Target (filenames \*.G, \*.g)
- \* antlr-python:  
ANTLR With Python Target (filenames \*.G, \*.g)
- \* antlr-ruby, antlr-rb:  
ANTLR With Ruby Target (filenames \*.G, \*.g)
- \* antlr:  
ANTLR
- \* apacheconf, aconf, apache:  
ApacheConf (filenames .htaccess, apache.conf, apache2.conf)

```

* apl:
  APL (filenames *.apl)
* applescript:
  AppleScript (filenames *.applescript)
* arduino:
  Arduino (filenames *.ino)
* as, actionscript:
  ActionScript (filenames *.as)
* as3, actionscript3:
  ActionScript 3 (filenames *.as)
* aspectj:
  AspectJ (filenames *.aj)
* aspx-cs:
  aspx-cs (filenames *.aspx, *.asax, *.ascx, *.ashx, *.asmx, *.axd)
* aspx-vb:
  aspx-vb (filenames *.aspx, *.asax, *.ascx, *.ashx, *.asmx, *.axd)
* asy, asymptote:
  Asymptote (filenames *.asy)
* at, ambienttalk, ambienttalk/2:
  AmbientTalk (filenames *.at)
* autoit:
  AutoIt (filenames *.au3)
* awk, gawk, mawk, nawk:
  Awk (filenames *.awk)
* basemake:
  Base Makefile
* bash, sh, ksh, shell:
  Bash (filenames *.sh, *.ksh, *.bash, *.ebuild, *.eclass, *.exheres-0, *.exlib,
    .bashrc, bashrc, .bash_*, bash_*, PKGBUILD)
* bat, batch, dosbatch, winbatch:
  Batchfile (filenames *.bat, *.cmd)
* brcode:
  BRCCode
* bc:
  BC (filenames *.bc)
* befunge:
  Befunge (filenames *.befunge)
* blitzbasic, b3d, bplus:
  BlitzBasic (filenames *.bb, *.decls)
* blitzmax, bmax:
  BlitzMax (filenames *.bmx)
* bnf:
  BNF (filenames *.bnf)
* boo:
  Boo (filenames *.boo)
* boogie:
  Boogie (filenames *.bpl)
* brainfuck, bf:
  Brainfuck (filenames *.bf, *.b)
* bro:
  Bro (filenames *.bro)

```

```

* bugs, winbugs, openbugs:
  BUGS (filenames *.bug)
* c-objdump:
  c-objdump (filenames *.c-objdump)
* c:
  C (filenames *.c, *.h, *.idc)
* ca65:
  ca65 assembler (filenames *.s)
* cadl:
  cADL (filenames *.cadl)
* camkes, idl4:
  CAmkES (filenames *.camkes, *.idl4)
* cbmbas:
  CBM BASIC V2 (filenames *.bas)
* ceylon:
  Ceylon (filenames *.ceylon)
* cfc:
  Coldfusion CFC (filenames *.cfc)
* cfengine3, cf3:
  CFEngine3 (filenames *.cf)
* cfm:
  Coldfusion HTML (filenames *.cfm, *.cfml)
* cfs:
  cfstatement
* chai, chaiscript:
  ChaiScript (filenames *.chai)
* chapel, chpl:
  Chapel (filenames *.chpl)
* cheetah, spitfire:
  Cheetah (filenames *.tmpl, *.spt)
* cirru:
  Cirru (filenames *.cirru)
* clay:
  Clay (filenames *.clay)
* clojure, clj:
  Clojure (filenames *.clj)
* clojurescript, cljs:
  ClojureScript (filenames *.cljs)
* cmake:
  CMake (filenames *.cmake, CMakeLists.txt)
* cobol:
  COBOL (filenames *.cob, *.COB, *.cpy, *.CPY)
* cobolfree:
  COBOLFree (filenames *.cbl, *.CBL)
* coffee-script, coffeescript, coffee:
  CoffeeScript (filenames *.coffee)
* common-lisp, cl, lisp:
  Common Lisp (filenames *.cl, *.lisp)
* componentpascal, cp:
  Component Pascal (filenames *.cp, *.cps)
* console, shell-session:

```

```

    Bash Session (filenames *.sh-session, *.shell-session)
* control, debcontrol:
    Debian Control file (filenames control)
* coq:
    Coq (filenames *.v)
* cpp, c++:
    C++ (filenames *.cpp, *.hpp, *.c++, *.h++, *.cc, *.hh, *.cxx, *.hxx, *.C, *.H,
        *.cp, *.CPP)
* cpp-objdump, c++-objdump, cxx-objdump:
    cpp-objdump (filenames *.cpp-objdump, *.c++-objdump, *.cxx-objdump)
* cpsa:
    CPSA (filenames *.cpsa)
* crmsh, pcmk:
    Crmsh (filenames *.crmsh, *.pcmk)
* croc:
    Croc (filenames *.croc)
* cryptol, cry:
    Cryptol (filenames *.cry)
* csharp, c#:
    C# (filenames *.cs)
* csound, csound-orc:
    Csound Orchestra (filenames *.orc)
* csound-document, csound-csd:
    Csound Document (filenames *.csd)
* csound-score, csound-sco:
    Csound Score (filenames *.sco)
* css+django, css+jinja:
    CSS+Django/Jinja
* css+erb, css+ruby:
    CSS+Ruby
* css+genshitext, css+genshi:
    CSS+Genshi Text
* css+lasso:
    CSS+Lasso
* css+mako:
    CSS+Mako
* css+mozpreproc:
    CSS+mozpreproc (filenames *.css.in)
* css+myghty:
    CSS+Myghty
* css+php:
    CSS+PHP
* css+smarty:
    CSS+Smarty
* css:
    CSS (filenames *.css)
* cucumber, gherkin:
    Gherkin (filenames *.feature)
* cuda, cu:
    CUDA (filenames *.cu, *.cuh)
* cypher:

```

```

    Cypher (filenames *.cyp, *.cypher)
* cython, pyx, pyrex:
    Cython (filenames *.pyx, *.pxd, *.pxi)
* d-objdump:
    d-objdump (filenames *.d-objdump)
* d:
    D (filenames *.d, *.di)
* dart:
    Dart (filenames *.dart)
* delphi, pas, pascal, objectpascal:
    Delphi (filenames *.pas)
* dg:
    dg (filenames *.dg)
* diff, udiff:
    Diff (filenames *.diff, *.patch)
* django, jinja:
    Django/Jinja
* docker, dockerfile:
    Docker (filenames Dockerfile, *.docker)
* doscon:
    MSDOS Session
* dpatch:
    Darcs Patch (filenames *.dpatch, *.darcspatch)
* dtd:
    DTD (filenames *.dtd)
* duel, jbst, jsonml+bst:
    Duel (filenames *.duel, *.jbst)
* dylan-console, dylan-repl:
    Dylan session (filenames *.dylan-console)
* dylan-lid, lid:
    DylanLID (filenames *.lid, *.hdp)
* dylan:
    Dylan (filenames *.dylan, *.dyl, *.intr)
* earl-grey, earlgrey, eg:
    Earl Grey (filenames *.eg)
* easytrieve:
    Easytrieve (filenames *.ezyt, *.mac)
* ebnf:
    EBNF (filenames *.ebnf)
* ec:
    eC (filenames *.ec, *.eh)
* ecl:
    ECL (filenames *.ecl)
* eiffel:
    Eiffel (filenames *.e)
* elixir, ex, exs:
    Elixir (filenames *.ex, *.exs)
* elm:
    Elm (filenames *.elm)
* emacs, elisp, emacs-lisp:
    EmacsLisp (filenames *.el)

```

```

* erb:
  ERB
* erl:
  Erlang erl session (filenames *.erl-sh)
* erlang:
  Erlang (filenames *.erl, *.hrl, *.es, *.escript)
* evoque:
  Evoque (filenames *.evoque)
* ezhil:
  Ezhil (filenames *.n)
* factor:
  Factor (filenames *.factor)
* fan:
  Fantom (filenames *.fan)
* fancy, fy:
  Fancy (filenames *.fy, *.fancypack)
* felix, flx:
  Felix (filenames *.flx, *.flxh)
* fish, fishshell:
  Fish (filenames *.fish, *.load)
* fortran:
  Fortran (filenames *.f03, *.f90, *.F03, *.F90)
* fortranfixed:
  FortranFixed (filenames *.f, *.F)
* foxpro, vfp, clipper, xbase:
  FoxPro (filenames *.PRG, *.prg)
* fsharp:
  FSharp (filenames *.fs, *.fsi)
* gap:
  GAP (filenames *.g, *.gd, *.gi, *.gap)
* gas, asm:
  GAS (filenames *.s, *.S)
* genshi, kid, xml+genshi, xml+kid:
  Genshi (filenames *.kid)
* genshitext:
  Genshi Text
* glsl:
  GLSL (filenames *.vert, *.frag, *.geo)
* gnuplot:
  Gnuplot (filenames *.plot, *.plt)
* go:
  Go (filenames *.go)
* golo:
  Golo (filenames *.golo)
* gooddata-cl:
  GoodData-CL (filenames *.gdc)
* gosu:
  Gosu (filenames *.gs, *.gsx, *.gsp, *.vark)
* groff, nroff, man:
  Groff (filenames *. [1234567], *.man)
* groovy:

```

```

    Groovy (filenames *.groovy, *.gradle)
* gst:
    Gosu Template (filenames *.gst)
* haml:
    Haml (filenames *.haml)
* handlebars:
    Handlebars
* haskell, hs:
    Haskell (filenames *.hs)
* haxtml, hxml:
    Hxml (filenames *.hxml)
* hexdump:
    Hexdump
* html+cheetah, html+spitfire, htmlcheetah:
    HTML+Cheetah
* html+django, html+jinja, htmdldjango:
    HTML+Django/Jinja
* html+evoque:
    HTML+Evoque (filenames *.html)
* html+genshi, html+kid:
    HTML+Genshi
* html+handlebars:
    HTML+Handlebars (filenames *.handlebars, *.hbs)
* html+lasso:
    HTML+Lasso
* html+mako:
    HTML+Mako
* html+myghty:
    HTML+Myghty
* html+php:
    HTML+PHP (filenames *.phtml)
* html+smarty:
    HTML+Smarty
* html+twig:
    HTML+Twig (filenames *.twig)
* html+velocity:
    HTML+Velocity
* html:
    HTML (filenames *.html, *.htm, *.xhtml, *.xslt)
* http:
    HTTP
* hx, haxe, hxsl:
    Haxe (filenames *.hx, *.hxsl)
* hybris, hy:
    Hybris (filenames *.hy, *.hyb)
* hylang:
    Hy (filenames *.hy)
* i6t:
    Inform 6 template (filenames *.i6t)
* idl:
    IDL (filenames *.pro)

```

```

* idris, idr:
  Idris (filenames *.idr)
* iex:
  Elixir iex session
* igor, igorpro:
  Igor (filenames *.ipf)
* inform6, i6:
  Inform 6 (filenames *.inf)
* inform7, i7:
  Inform 7 (filenames *.ni, *.i7x)
* ini, cfg, dosini:
  INI (filenames *.ini, *.cfg, *.inf)
* io:
  Io (filenames *.io)
* ioke, ik:
  Ioke (filenames *.ik)
* irc:
  IRC logs (filenames *.weechatlog)
* isabelle:
  Isabelle (filenames *.thy)
* j:
  J (filenames *.ijs)
* jade:
  Jade (filenames *.jade)
* jags:
  JAGS (filenames *.jag, *.bug)
* jasmin, jasminxt:
  Jasmin (filenames *.j)
* java:
  Java (filenames *.java)
* javascript+mozpreproc:
  Javascript+mozpreproc (filenames *.js.in)
* jcl:
  JCL (filenames *.jcl)
* jlcon:
  Julia console
* js+cheetah, javascript+cheetah, js+spitfire, javascript+spitfire:
  JavaScript+Cheetah
* js+django, javascript+django, js+jinja, javascript+jinja:
  JavaScript+Django/Jinja
* js+erb, javascript+erb, js+ruby, javascript+ruby:
  JavaScript+Ruby
* js+genshitext, js+genshi, javascript+genshitext, javascript+genshi:
  JavaScript+Genshi Text
* js+lasso, javascript+lasso:
  JavaScript+Lasso
* js+mako, javascript+mako:
  JavaScript+Mako
* js+myghty, javascript+myghty:
  JavaScript+Myghty
* js+php, javascript+php:

```



```

    JavaScript+PHP
* js+smarty, javascript+smarty:
    JavaScript+Smarty
* js, javascript:
    JavaScript (filenames *.js, *.jsh)
* json:
    JSON (filenames *.json)
* jsonld, json-ld:
    JSON-LD (filenames *.jsonld)
* jsp:
    Java Server Page (filenames *.jsp)
* julia, jl:
    Julia (filenames *.jl)
* kal:
    Kal (filenames *.kal)
* kconfig, menuconfig, linux-config, kernel-config:
    Kconfig (filenames Kconfig, *Config.in*, external.in*, standard-modules.in)
* koka:
    Koka (filenames *.kk, *.kki)
* kotlin:
    Kotlin (filenames *.kt)
* lagda, literate-agda:
    Literate Agda (filenames *.lagda)
* lasso, lassoscript:
    Lasso (filenames *.lasso, *.lasso[89])
* lcry, literate-cryptol, lcryptol:
    Literate Cryptol (filenames *.lcry)
* lean:
    Lean (filenames *.lean)
* less:
    LessCss (filenames *.less)
* lhs, literate-haskell, lhaskell:
    Literate Haskell (filenames *.lhs)
* lidr, literate-idris, lidris:
    Literate Idris (filenames *.lidr)
* lighty, lighttpd:
    Lighttpd configuration file
* limbo:
    Limbo (filenames *.b)
* liquid:
    liquid (filenames *.liquid)
* live-script, livescript:
    LiveScript (filenames *.ls)
* llvm:
    LLVM (filenames *.ll)
* logos:
    Logos (filenames *.x, *.xi, *.xm, *.xmi)
* logtalk:
    Logtalk (filenames *.lgt, *.logtalk)
* lsl:
    LSL (filenames *.lsl)

```

```

* lua:
  Lua (filenames *.lua, *.wlua)
* make, makefile, mf, BSDmake:
  Makefile (filenames *.mak, *.mk, Makefile, makefile, Makefile.*, GNUMakefile)
* mako:
  Mako (filenames *.mao)
* maql:
  MAQL (filenames *.maql)
* mask:
  Mask (filenames *.mask)
* mason:
  Mason (filenames *.m, *.mhtml, *.mc, *.mi, autohandler, dhandler)
* mathematica, mma, nb:
  Mathematica (filenames *.nb, *.cdf, *.nbp, *.ma)
* matlab:
  Matlab (filenames *.m)
* matlabsession:
  Matlab session
* minid:
  MiniD
* modelica:
  Modelica (filenames *.mo)
* modula2, m2:
  Modula-2 (filenames *.def, *.mod)
* monkey:
  Monkey (filenames *.monkey)
* moocode, moo:
  MOOCode (filenames *.moo)
* moon, moonscript:
  MoonScript (filenames *.moon)
* mozhashpreproc:
  mozhashpreproc
* mozpercentpreproc:
  mozpercentpreproc
* mql, mq4, mq5, mql4, mql5:
  MQL (filenames *.mq4, *.mq5, *.mqh)
* mscgen, msc:
  Mscgen (filenames *.msc)
* mupad:
  MuPAD (filenames *.mu)
* mxml:
  MXML (filenames *.mxml)
* myghty:
  Myghty (filenames *.myt, autodelegate)
* mysql:
  MySQL
* nasm:
  NASM (filenames *.asm, *.ASM)
* nemerle:
  Nemerle (filenames *.n)
* nesc:

```

```

    nesC (filenames *.nc)
* newlisp:
    NewLisp (filenames *.lsp, *.nl)
* newspeak:
    Newspeak (filenames *.ns2)
* nginx:
    Nginx configuration file
* nimrod, nim:
    Nimrod (filenames *.nim, *.nimrod)
* nit:
    Nit (filenames *.nit)
* nixos, nix:
    Nix (filenames *.nix)
* nsis, nsi, nsh:
    NSIS (filenames *.nsi, *.nsh)
* numpy:
    NumPy
* objdump-nasm:
    objdump-nasm (filenames *.objdump-intel)
* objdump:
    objdump (filenames *.objdump)
* objective-c++, objectivec++, obj-c++, objc++:
    Objective-C++ (filenames *.mm, *.hh)
* objective-c, objectivec, obj-c, objc:
    Objective-C (filenames *.m, *.h)
* objective-j, objectivej, obj-j, objj:
    Objective-J (filenames *.j)
* ocaml:
    OCaml (filenames *.ml, *.mli, *.mll, *.mly)
* octave:
    Octave (filenames *.m)
* odin:
    ODIN (filenames *.odin)
* ooc:
    Ooc (filenames *.ooc)
* opa:
    Opa (filenames *.opa)
* openedge, abl, progress:
    OpenEdge ABL (filenames *.p, *.cls)
* pacmanconf:
    PacmanConf (filenames pacman.conf)
* pan:
    Pan (filenames *.pan)
* parasail:
    ParaSail (filenames *.psi, *.psl)
* pawn:
    Pawn (filenames *.p, *.pwn, *.inc)
* perl, pl:
    Perl (filenames *.pl, *.pm, *.t)
* perl6, pl6:
    Perl6 (filenames *.pl, *.pm, *.nqp, *.p6, *.6pl, *.p6l, *.pl6, *.6pm, *.p6m,

```

```

        *.pm6, *.t)
* php, php3, php4, php5:
    PHP (filenames *.php, *.php[345], *.inc)
* pig:
    Pig (filenames *.pig)
* pike:
    Pike (filenames *.pike, *.pmod)
* pkgconfig:
    PkgConfig (filenames *.pc)
* plpgsql:
    PL/pgSQL
* postgresql, postgres:
    PostgreSQL SQL dialect
* postscript, postscr:
    PostScript (filenames *.ps, *.eps)
* pot, po:
    Gettext Catalog (filenames *.pot, *.po)
* pov:
    POVRay (filenames *.pov, *.inc)
* powershell, posh, ps1, psm1:
    PowerShell (filenames *.ps1, *.psm1)
* praat:
    Praat (filenames *.praat, *.proc, *.psc)
* prolog:
    Prolog (filenames *.ecl, *.prolog, *.pro, *.pl)
* properties, jproperties:
    Properties (filenames *.properties)
* protobuf, proto:
    Protocol Buffer (filenames *.proto)
* psicon:
    PowerShell Session
* psql, postgresql-console, postgres-console:
    PostgreSQL console (psql)
* puppet:
    Puppet (filenames *.pp)
* py3tb:
    Python 3.0 Traceback (filenames *.py3tb)
* pycon:
    Python console session
* pypylog, pypy:
    PyPy Log (filenames *.pypylog)
* pytb:
    Python Traceback (filenames *.pytb)
* python, py, sage:
    Python (filenames *.py, *.pyw, *.sc, SConstruct, SConscript, *.tac, *.sage)
* python3, py3:
    Python 3
* qbasic, basic:
    QBasic (filenames *.BAS, *.bas)
* qml, qbs:
    QML (filenames *.qml, *.qbs)

```

```

* qvto, qvt:
  QVTO (filenames *.qvto)
* racket, rkt:
  Racket (filenames *.rkt, *.rkt.d, *.rkt.l)
* ragel-c:
  Ragel in C Host (filenames *.rl)
* ragel-cpp:
  Ragel in CPP Host (filenames *.rl)
* ragel-d:
  Ragel in D Host (filenames *.rl)
* ragel-em:
  Embedded Ragel (filenames *.rl)
* ragel-java:
  Ragel in Java Host (filenames *.rl)
* ragel-objc:
  Ragel in Objective C Host (filenames *.rl)
* ragel-ruby, ragel-rb:
  Ragel in Ruby Host (filenames *.rl)
* ragel:
  Ragel
* raw:
  Raw token data
* rb, ruby, duby:
  Ruby (filenames *.rb, *.rbw, Rakefile, *.rake, *.gemspec, *.rbx, *.duby,
  Gemfile)
* rbcon, irb:
  Ruby irb session
* rconsole, rout:
  RConsole (filenames *.Rout)
* rd:
  Rd (filenames *.Rd)
* rebol:
  REBOL (filenames *.r, *.r3, *.reb)
* red, red/system:
  Red (filenames *.red, *.reds)
* redcode:
  Redcode (filenames *.cw)
* registry:
  reg (filenames *.reg)
* resource, resourcebundle:
  ResourceBundle (filenames *.txt)
* rexx, arexx:
  Rexx (filenames *.rexx, *.rex, *.rx, *.arexx)
* rhtml, html+erb, html+ruby:
  RHTML (filenames *.rhtml)
* roboconf-graph:
  Roboconf Graph (filenames *.graph)
* roboconf-instances:
  Roboconf Instances (filenames *.instances)
* robotframework:
  RobotFramework (filenames *.txt, *.robot)

```

```

* rql:
  RQL (filenames *.rql)
* rsl:
  RSL (filenames *.rsl)
* rst, rest, restructuredtext:
  reStructuredText (filenames *.rst, *.rest)
* rts, trafficscript:
  TrafficScript (filenames *.rts)
* rust:
  Rust (filenames *.rs, *.rs.in)
* sass:
  Sass (filenames *.sass)
* sc, supercollider:
  SuperCollider (filenames *.sc, *.scd)
* scala:
  Scala (filenames *.scala)
* scaml:
  Scaml (filenames *.scaml)
* scheme, scm:
  Scheme (filenames *.scm, *.ss)
* scilab:
  Scilab (filenames *.sci, *.sce, *.tst)
* scss:
  SCSS (filenames *.scss)
* shen:
  Shen (filenames *.shen)
* slim:
  Slim (filenames *.slim)
* smali:
  Smali (filenames *.smali)
* smalltalk, squeak, st:
  Smalltalk (filenames *.st)
* smarty:
  Smarty (filenames *.tpl)
* sml:
  Standard ML (filenames *.sml, *.sig, *.fun)
* snobol:
  Snobol (filenames *.snobol)
* sourceslist, sources.list, debsources:
  Debian Sourcelist (filenames sources.list)
* sp:
  SourcePawn (filenames *.sp)
* sparql:
  SPARQL (filenames *.rq, *.sparql)
* spec:
  RPMSpec (filenames *.spec)
* splus, s, r:
  S (filenames *.S, *.R, .Rhistory, .Rprofile, .Renviron)
* sql:
  SQL (filenames *.sql)
* sqlite3:

```

```

    sqlite3con (filenames *.sqlite3-console)
* squidconf, squid.conf, squid:
    SquidConf (filenames squid.conf)
* ssp:
    Scalate Server Page (filenames *.ssp)
* stan:
    Stan (filenames *.stan)
* swift:
    Swift (filenames *.swift)
* swig:
    SWIG (filenames *.swg, *.i)
* systemverilog, sv:
    systemverilog (filenames *.sv, *.svh)
* tads3:
    TADS 3 (filenames *.t)
* tap:
    TAP (filenames *.tap)
* tcl:
    Tcl (filenames *.tcl, *.rvt)
* tcsh, csh:
    Tcsh (filenames *.tcsh, *.csh)
* tcshcon:
    Tcsh Session
* tea:
    Tea (filenames *.tea)
* termcap:
    Termcap (filenames termcap, termcap.src)
* terminfo:
    Terminfo (filenames terminfo, terminfo.src)
* terraform, tf:
    Terraform (filenames *.tf)
* tex, latex:
    TeX (filenames *.tex, *.aux, *.toc)
* text:
    Text only (filenames *.txt)
* thrift:
    Thrift (filenames *.thrift)
* todotxt:
    Todotxt (filenames todo.txt, *.todotxt)
* trac-wiki, moin:
    MoinMoin/Trac Wiki markup
* treetop:
    Treetop (filenames *.treetop, *.tt)
* ts, typescript:
    TypeScript (filenames *.ts)
* turtle:
    Turtle (filenames *.ttl)
* twig:
    Twig
* urbiscript:
    UrbiScript (filenames *.u)

```

```

* vala, vapi:
  Vala (filenames *.vala, *.vapi)
* vb.net, vbnet:
  VB.net (filenames *.vb, *.bas)
* vctreestatus:
  VCTreeStatus
* velocity:
  Velocity (filenames *.vm, *.fhtml)
* verilog, v:
  verilog (filenames *.v)
* vgl:
  VGL (filenames *.rpf)
* vhdl:
  vhdl (filenames *.vhdl, *.vhd)
* vim:
  VimL (filenames *.vim, .vimrc, .exrc, .gvimrc, _vimrc, _exrc, _gvimrc, vimrc,
    gvimrc)
* x10, xten:
  X10 (filenames *.x10)
* xml+cheetah, xml+spitfire:
  XML+Cheetah
* xml+django, xml+jinja:
  XML+Django/Jinja
* xml+erb, xml+ruby:
  XML+Ruby
* xml+evoque:
  XML+Evoque (filenames *.xml)
* xml+lasso:
  XML+Lasso
* xml+mako:
  XML+Mako
* xml+myghty:
  XML+Myghty
* xml+php:
  XML+PHP
* xml+smarty:
  XML+Smarty
* xml+velocity:
  XML+Velocity
* xml:
  XML (filenames *.xml, *.xsl, *.rss, *.xslt, *.xsd, *.wsdl, *.wsf)
* xquery, xqy, xq, xql, xqm:
  XQuery (filenames *.xqy, *.xquery, *.xq, *.xql, *.xqm)
* xslt:
  XSLT (filenames *.xsl, *.xslt, *.xpl)
* xtend:
  Xtend (filenames *.xtend)
* xul+mozpreproc:
  XUL+mozpreproc (filenames *.xul.in)
* yaml+jinja, salt, sls:
  YAML+Jinja (filenames *.sls)

```



```

* yaml:
  YAML (filenames *.yaml, *.yml)
* zephir:
  Zephir (filenames *.zep)

Formatters:
~~~~~
* bbcode, bb:
  Format tokens with BBcodes. These formatting codes are used by many bulletin
  boards, so you can highlight your sourcecode with pygments before posting it
  there.
* bmp, bitmap:
  Create a bitmap image from source code. This uses the Python Imaging Library to
  generate a pixmap from the source code. (filenames *.bmp)
* gif:
  Create a GIF image from source code. This uses the Python Imaging Library to
  generate a pixmap from the source code. (filenames *.gif)
* html:
  Format tokens as HTML 4 '<span>' tags within a '<pre>' tag, wrapped in a
  '<div>' tag. The '<div>'s CSS class can be set by the 'cssclass'
  option. (filenames *.html, *.htm)
* img, IMG, png:
  Create a PNG image from source code. This uses the Python Imaging Library to
  generate a pixmap from the source code. (filenames *.png)
* irc, IRC:
  Format tokens with IRC color sequences
* jpg, jpeg:
  Create a JPEG image from source code. This uses the Python Imaging Library to
  generate a pixmap from the source code. (filenames *.jpg)
* latex, tex:
  Format tokens as LaTeX code. This needs the 'fancyvrb' and 'color' standard
  packages. (filenames *.tex)
* raw, tokens:
  Format tokens as a raw representation for storing token streams. (filenames
  *.raw)
* rtf:
  Format tokens as RTF markup. This formatter automatically outputs full RTF
  documents with color information and other useful stuff. Perfect for Copy
  and Paste into Microsoft(R) Word(R) documents. (filenames *.rtf)
* svg:
  Format tokens as an SVG graphics file. This formatter is still experimental.
  Each line of code is a '<text>' element with explicit 'x' and 'y'
  coordinates containing '<tspan>' elements with the individual token
  styles. (filenames *.svg)
* terminal, console:
  Format tokens with ANSI color sequences, for output in a text console. Color
  sequences are terminated at newlines, so that paging the output works
  correctly.
* terminal16m, console16m, 16m:
  Format tokens with ANSI color sequences, for output in a true-color terminal or
  console. Like in 'TerminalFormatter' color sequences are terminated at

```

newlines, so that paging the output works correctly.

- \* terminal256, console256, 256:  
Format tokens with ANSI color sequences, for output in a 256-color terminal or console. Like in 'TerminalFormatter' color sequences are terminated at newlines, so that paging the output works correctly.
- \* testcase:  
Format tokens as appropriate for a new testcase.
- \* text, null:  
Output the text unchanged without any formatting. (filenames \*.txt)

Filters:

~~~~~

- \* raiseonerror:  
Raise an exception when the lexer generates an error token.
- \* whitespace:  
Convert tabs, newlines and/or spaces to visible characters.
- \* tokenmerge:  
Merges consecutive tokens with the same token type in the output stream of a lexer.
- \* highlight:  
Highlight a normal Name (and Name.\*) token with a different token type.
- \* gobble:  
Gobbles source code lines (eats initial characters).
- \* codetagify:  
Highlight special code tags in comments and docstrings.
- \* keywordcase:  
Convert keywords to lowercase or uppercase or capitalize them, which means first letter uppercase, rest lowercase.

Styles:

~~~~~

- \* manni:  
A colorful style, inspired by the terminal highlighting style.
- \* igor:  
Pygments version of the official colors for Igor Pro procedures.
- \* lovelace:  
The style used in Lovelace interactive learning environment. Tries to avoid the "angry fruit salad" effect with desaturated and dim colours.
- \* xcode:  
Style similar to the Xcode default colouring theme.
- \* vim:  
Styles somewhat like vim 7.0
- \* autumn:  
A colorful style, inspired by the terminal highlighting style.
- \* vs:
- \* rrt:  
Minimalistic "rrt" theme, based on Zap and Emacs defaults.
- \* native:  
Pygments version of the "native" vim theme.
- \* perldoc:

Style similar to the style used in the perldoc code blocks.

- \* borland:  
Style similar to the style used in the borland IDEs.
- \* tango:  
The Crunchy default Style inspired from the color palette from the Tango Icon Theme Guidelines.
- \* emacs:  
The default style (inspired by Emacs 22).
- \* friendly:  
A modern style based on the VIM pyte theme.
- \* monokai:  
This style mimics the Monokai color scheme.
- \* paraiso-dark:
- \* colorful:  
A colorful style, inspired by CodeRay.
- \* murphy:  
Murphy's style from CodeRay.
- \* bw:
- \* pastie:  
Style similar to the pastie default style.
- \* algol\_nu:
- \* paraiso-light:
- \* trac:  
Port of the default trac highlighter design.
- \* default:  
The default style (inspired by Emacs 22).
- \* algol:
- \* fruity:  
Pygments version of the "native" vim theme.