# An Example of a Paper with a Rather Large Title-to-Content Ratio

Rob van Glabbeek

NICTA Sydney, Australia

School of Computer Science and Engineering University of New South Wales\* Sydney, Australia rvg@cs.stanford.edu Co Author

Yet S. Else

Stanford University California, USA

is@gmail.com

somebody@else.org

This is a sentence in the abstract. This is another sentence in the abstract. This is yet another sentence in the abstract. This is the final sentence in the abstract.

### 1 Introduction

The optional arguments of \documentclass{eptcs} are

- at most one of adraft, submission or preliminary,
- at most one of publicdomain or copyright,
- and optionally creativecommons,
  - possibly augmented with
    - \* noderivs
    - \* or sharealike,
  - and possibly augmented with noncommercial.

We use adraft rather than draft so as not to confuse hyperref. The style-file option submission is for papers that are submitted to \event, where the value of the latter is to be filled in in line 2 of the tex-file. Use preliminary only for papers that are accepted but not yet published. The final version of your paper that is to be uploaded at the EPTCS website should have none of these style-file options.

By means of the style-file option creativecommons authors equip their paper with a Creative Commons license that allows everyone to copy, distribute, display, and perform their copyrighted work and derivative works based upon it, but only if they give credit the way you request. By invoking the additional style-file option noderivs you let others copy, distribute, display, and perform only verbatim copies of your work, but not derivative works based upon it. Alternatively, the sharealike option allows others to distribute derivative works only under a license identical to the license that governs your work. Finally, you can invoke the option noncommercial that let others copy, distribute, display, and perform your work and derivative works based upon it for noncommercial purposes only.

Authors' (multiple) affiliations and emails use the commands \institute and \email. Both are optional. Authors should moreover supply \titlerunning and \authorrunning, and in case the copyrightholders are not the authors also \copyrightholders. As illustrated above, heuristic solutions may be called for to share affiliations. Authors may apply their own creativity here.

<sup>\*</sup>A fine university.

2 A Longtitled Paper

Exactly 46 lines fit on a page. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. 6 The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. 11 The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. Here starts a new paragraph. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. 16 The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. 21 The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. 26 The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. 31 The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. 36 The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. 41 The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. 46

The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details. The rest is like any normal LATEX article. We will spare you the details.

#### 2 Prefaces

Volume editors may create prefaces using this very template, with \title{Preface} and \author{}.

## 3 Bibliography

We request that you use \bibliographystyle{eptcs} [1]. Compared to the original LaTeX \bibliographystyle{plain}, it ignores the field month, and uses the extra bibtex fields eid, doi, ee and url. The first is for electronic identifiers (typically the number n indicating the nth paper in an issue) of papers in electronic journals that do not use page numbers. The other three are to refer, with life links, to electronic incarnations of the paper.

Almost all publishers use digital object identifiers (DOIs) as a persistent way to locate electronic publications. Prefixing the DOI of any paper with http://dx.doi.org/yields a URI that resolves to the current location (URL) of the response page¹ of that paper. When the location of the response page changes (for instance through a merge of publishers), the DOI of the paper remains the same and (through an update by the publisher) the corresponding URI will then resolve to the new location. For that reason a reference ought to contain the DOI of a paper, with a life link to corresponding URI, rather than a direct reference or link to the current URL of publisher's response page. This is the rôle of the bibtex field doi. DOIs of papers can often be found through http://www.crossref.org/guestquery;² the second method Search on article title, only using the surname of the first-listed author, works best. Other places to find DOIs are DBLP and the response pages for cited papers (maintained by their publishers). EPTCS requires the inclusion of a DOI in each cited paper, when available.

Often an official publication is only available against payment, but as a courtesy to readers that do not wish to pay, the authors also make the paper available free of charge at a repository such as arXiv.org. In such a case it is recommended to also refer and link to the URL of the response page of the paper in such a repository. This can be done using the bibtex fields ee or url, which are treated as synonyms.

<sup>&</sup>lt;sup>1</sup>Nowadays, papers that are published electronically tend to have a *response page* that lists the title, authors and abstract of the paper, and links to the actual manifestations of the paper (e.g. as dvi- or pdf-file). Sometimes publishers charge money to access the paper itself, but the response page is always freely available.

<sup>&</sup>lt;sup>2</sup>For papers that will appear in EPTCS and use \bibliographystyle{eptcs} there is no need to find DOIs on this website, as EPTCS will look them up for you automatically upon submission of a first version of your paper; these DOIs can then be incorporated in the final version, together with the remaining DOIs that need to found at DBLP or publisher's webpages.

4 A Longtitled Paper

These fields should not be used to duplicate information that is already provided through the DOI of the paper. You can find archival-quality URL's for most recently published papers in DBLP—they are in the bibtex-field ee. In fact, it is often useful to check your references against DBLP records anyway, or just find them there in the first place.

When using LATEX rather than pdflatex to typeset your paper, by default no linebreaking within long URLs is allowed. This leads often to very ugly output, that moreover is different from the output generated when using pdflatex. This problem is repaired when invoking \usepackage{breakurl}: it allows linebreaking within links and yield the same output as obtained by default with pdflatex. When invoking pdflatex, the package breakurl is ignored.

#### References

- [1] R.J. van Glabbeek (2010): The EPTCS bibliography style. Available at http://biblio.eptcs.org.
- [2] E.D.I. Thor & E. di Thor, editors (1987): *Title B1: A Book with editors*, second edition. *Series* 21, Publisher, Address, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009.3306. Note.
- [3] E.D.I. Thor & E. di Thor, editors (1987): *Title B2: An Inbook with editors*, second edition, type (of chapter) II, pp. 1–999. *Series* 443, Publisher, Address, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009.3306. Note.
- [4] E.D.I. Thor & E. di Thor, editors (1987): *Title B3: A Proceedings. Series* 443, Organization, Publisher, Address, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009.3306. Note.
- [5] A. Ut, H. Or & Co Author (1987): *Title A: An Article. Journal* 443(21):4, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009.3306. Note.
- [6] A. Ut, H. Or & Co Author (1987): *Title B1: A Book with authors*, second edition. *Series* 443, Publisher, Address, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009.3306. Note.
- [7] A. Ut, H. Or & Co Author (1987): *Title B2: An Inbook with authors*, second edition, type (of chapter) II, pp. 1–999. *Series* 443, Publisher, Address, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009. 3306. Note.
- [8] A. Ut, H. Or & Co Author (1987): *Title C1: An Inproceedings*. In E.D.I. Thor & E. di Thor, editors: *Booktitle, Series* 443, Organization, Publisher, Address, pp. 1–999, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009.3306. Note.
- [9] A. Ut, H. Or & Co Author (1987): *Title C2: An Incollection*. In E.D.I. Thor & E. di Thor, editors: *Booktitle*, second edition, type II, *Series* 443, Publisher, Address, pp. 1–999, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009.3306. Note.
- [10] A. Ut, H. Or & Co Author (1987): *Title R: A Techreport*. Type (of report) 21, Institution, Address, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009.3306. Note.
- [11] A. Ut, H. Or & Co Author (1987): *Title R1: A Techneport*. Technical Report 21, Institution, Address, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009.3306. Note.
- [12] A. Ut, H. Or & Co Author (1987): *Title R2: A PhDthesis*. Ph.D. thesis, School, Address, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009.3306. Note.
- [13] A. Ut, H. Or & Co Author (1987): *Title R3: A Masterthesis*. Master's thesis, School, Address, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009.3306. Note.
- [14] A. Ut, H. Or & Co Author (1987): *Title R4: A Manual*, second edition. Organization, Address, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009.3306. Note.
- [15] A. Ut, H. Or & Co Author (1987): *Title U: A Booklet*. Howpublished, Address, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009.3306. Note.

- [16] A. Ut, H. Or & Co Author (1987): *Title U: A Misc*. Howpublished, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009.3306. Note.
- [17] A. Ut, H. Or & Co Author (1987): *Title U: An Unpublished*, doi:10.4204/EPTCS. Available at http://arxiv.org/abs/1009.3306. Note.